

DeskPRO

Knowledgebase > DPQL > Cross Referencing

Cross Referencing

Matthew James Wray - 2019-06-24 - Comments (0) - DPQL

The FROM Clause

In DPQL you can only specify one table in the FROM clause.

When you're reading through the [DPQL field references](#) though you'll notice there are [multiple tables](#)

It's often useful to use multiple tables in a single query so in DPQL we have a function called [cross referencing](#) which will allow you to do just that.

If for example we wanted to show a list of tickets and the labels assigned to them we would need to reference both the tickets and the label ticket tables.

We couldn't run

```
SELECT tickets.id, labels.label
```

```
FROM tickets, labels
```

Therefore we'd need to find the linking syntax.

Step 1 - find the reference to the table

Our first step would be to navigate to the [tickets table](#) in the documentation.

If you scroll down to the bottom of the tabel you'll see that the last fields referenced are italicized - these are our cross referencing fields.

Here you can see the following for labels:

labels	<i>Label Ticket</i>
--------	---------------------

This means that to link to the [Label ticket field](#) we need to use the following syntax:

```
tickets.labels
```

Step 2 - Add the field

With cross referencing though once we've linked to the new table we also need to specify the field name as well (so far we just have two linked tables).

Therefore the correct syntax would be:

```
tickets.labels.label
```

Therefore our full query would be:

```
SELECT tickets.id, tickets.labels.label
```

```
FROM tickets
```

We are specifying only the tickets table in the FROM clause but our pulling data from the labels table as well.